



ARIMEC

air-water-energy-fire protection

SUMMER 2025

PRODUCT CATALOGUE

Your ultimate cooling guide!



TABLE OF CONTENTS



CEILING FANS

PAGE 3-6

Experience the perfect breeze with our stylish and quiet cooling fans. Ideal for creating a comfortable atmosphere in any room, they offer the ideal balance of performance and elegance.



AIR COOLERS

PAGE 7-10

Stay cool even on the hottest days with our efficient and eco-friendly air coolers. Designed to provide powerful, long-lasting cooling for your space, they ensure comfort and freshness wherever you need it.



INDUSTRIAL AIRFLOW & COOLING SOLUTIONS

PAGE 10-11

Efficient systems designed to effectively protect and maintain comfort in large-scale environments such as workshops, warehouses, shopping malls, halls, and livestock facilities.



AIR CURTAINS

PAGE 13-15

Air curtains effectively prevent air or contaminants from moving from one space to another. An air curtain creates an invisible air barrier over the doorway to separate two different environments.

SUMMER 2025



CEILING FANS



4211103RX52046W



CEILING FAN RX52-046W

RX52-046 (Without Light)

Size: 52" (D1320mm)

Color: White body + White blades

Motor type: DC

Blades: 3 ABS Blades

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €134

4211103RX52046L



CEILING FAN RX52-046L

RX52-046 (With Light)

Size: 52" (D1320mm)

Color: White body + White blades

Motor type: DC

Blades: 3 ABS Blades

Light: LED 18W CCT3000K-4000K-6000K

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €143

4211103RX52030



CEILING FAN RX52-030

RX52-030 (With Light)

Size: 52" (D1320mm)

Color: White body + White blades

Motor type: DC

Blades: 5 ABS Blades

Light: LED 18W CCT3000K-4000K-6000K

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €143

4211103RX52046B



CEILING FAN RX52-046B

RX52-046 (Without Light)

Size: 52" (D1320mm)

Color: Black body + Black blades

Motor type: DC

Blades: 3 ABS Blades

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €155

4211103RX52046LB



CEILING FAN RX52-046LB

RX52-046 (With Light)

Size: 52" (D1320mm)

Color: Black body + Black blades

Motor type: DC

Blades: 3 ABS Blades

Light: LED 18W CCT3000K-4000K-6000K

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €167

4211103RX52046S



CEILING FAN RX52-046S

RX52-046 (Without Light)

Size: 52" (D1320mm)

Color: Nickel body + Silver blades

Motor type: DC

Blades: 3 ABS Blades

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €155

4211103RX52046LS



CEILING FAN RX52-046LS

RX52-046 (With Light)

Size: 52" (D1320mm)

Color: Nickel body + Silver blades

Motor type: DC

Blades: 3 ABS Blades

Light: LED 18W CCT3000K-4000K-6000K

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €167

4211103RX52046BW



CEILING FAN RX52-046BW

RX52-046 (Without Light)

Size: 52" (D1320mm)

Color: Black body + Natural wooden blades

Motor type: DC

Blades: 3 ABS Blades

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €173

4211103RX52046LBW



CEILING FAN RX52-046LBW

RX52-046 (With Light)

Size: 52" (D1320mm)

Color: Black body + Natural wooden blades

Motor type: DC

Blades: 3 ABS Blades

Light: LED 18W CCT3000K-4000K-6000K

Switch Type: Remote Control

Fan Speeds: 6 speeds

PRICE €185

SUMMER 2025



AIR COOLERS



4111102AERO15



AERO15

Air Flow: 4,500 m³/h

Fan Type: Axial

Fan Speed: 1-phase, 3-speed

Output Power: 0.05/0.04/0.03 kW

Rated Current: 0.7/0.55/0.4 A

Voltage / Frequency: 220V / 50Hz

Noise: ≤ 57dBA

Water Tank: 35L

Net Weight: 17 kg

Dimensions: 550 x 330 x 990 mm

Effective Area: 18-25 m²

PRICE €393

4111429PBP



POWER BREEZE PRO

Air Flow: 4,500 m³/h

Fan Type: Axial

Fan Speed: 1-phase, 3-speed

Output Power: 150 W

Voltage / Frequency: 220-240V-50/60Hz

Noise: 65 dBA

Water Tank: 60L

Dimensions: 605x385x1060 mm

Effective Area: 15-25 m²

PRICE €488

4111102AERO21



AERO21

Air Flow: 3,500 m³/h

Fan Type: Centrifugal

Fan Speed: 1-phase, 3-speed

Output Power: 0.1/0.075/0.065 kW

Rated Current: 1.1/0.8/0.58 A

Voltage / Frequency: 220V/50Hz

Noise: ≤ 58dBA

Water Tank: 40L

Net Weight: 35kg

Dimensions: 600 x 430 x 1680mm

Effective Area: 15-30m²

PRICE €655

4111102AERO3CS6


AERO 3CS6

Air Flow: 6,000 m³/h

Fan Type: Axial

Fan Speed: 1-phase, 3-speed

Output Power: 0.15/0.1/0.75 kW

Rated Current: 1.25/0.95/0.8 A

Voltage / Frequency: 220V/50Hz

Noise: ≤ 68dBA

Water Tank: 70/120L

Net Weight: 31Kg

Dimensions: 795 x 550 x 1320mm

Effective Area: 30-40m²
PRICE €691
4111102AERO3CS8
SOLD OUT


AERO 3CS8

Air Flow : 8,000 m³/h

Fan Type: Axial

Fan Speed: 1-phase, 3-speed

Output Power: 0.15/0.1/0.075 kW

Rated Current: 1.2/0.95/0.8 A

Voltage/Frequency: 110/220 50/60Hz

Noise: ≤ 60dBA

Water Tank: 90L

Net Weight: 33kg

Dimensions: 800 x 515 x 1430 mm

Effective Area: 40-50m²
PRICE €726
4111102AERO3CS12
SOLD OUT


AERO3CS12

Air Flow: 12,000 m³/h

Fan Type: Axial

Fan Speed: 1-phase, 3 speed

Output Power: 0.3 kW

Rated Current: 0.8A

Voltage/Frequency: 110/220 50/60Hz

Noise: ≤ 60dBA

Water Tank: 90L

Net Weight: 33 kg

Dimensions: 842 x 532 x 1448mm

Effective Area: 60-80m²
PRICE €774

INDUSTRIAL AIRFLOW & COOLING SOLUTIONS



PRICES INCLUDE VAT

4111102AERO4D

SOLD OUT



AERO4D

Air Flow: 18,000m³/h

Discharge: Up

Fan Type: Axial

Fan Speed: Multi-speed, Inverter

Output Power: 1.1 kW

Voltage / Frequency: 220V/50Hz

Noise: ≤ 76dBA

Pressure: 170 Pa

Net Weight: 86kg

Rated Current (A): 4.8A

Dimensions: 1150 x 1150 x 982mm

Effective area: 100-150 m²

PRICE €2256

HVLS FAN

Model: AL-HVLS-380-5000

Blade Diameter: 5.0mm

Blade Number: 5

Input Voltage: 110/220/380 V

Rotating Speed: 20-80 (r/min)

Max Airflow: 10000 (m³/h)

Full Load Power: 0.75 kW

Covered Area: 750 m²

Max Noise: 38 dBA

Total Weight: 49Kg

PRICE UPON REQUEST



HVLS FAN

Model: AL-HVLS-380-7300

Blade Diameter: 7.3mm

Blade Number: 6

Input Voltage: 110/220/380 V

Rotating Speed: 15-55(r/min)

Max Airflow: 15500 (m³/h)

Full Load Power: 1.5 kW

Covered Area: 1700 m²

Max Noise: 38 dBA

Total Weight: 122Kg

PRICE UPON REQUEST



HEATER CONDENS

Cools in summer

Heats up in winter

The device uses a high-performance fan with built-in three-stage speed control, which in combination with a high-quality water heater exchanger gives an optimal range of parameters.



For condensing boilers, heat pumps and chillers.



Effective cooling 2 - 15kW




Effective heating 5 - 120 kW




Remote control using mobile app

EFFECTIVE HEATING RANGE 10-120KW




CR ONE

Dedicated
to smaller premises



CR1 | CR2 | CR3

Dedicated
to standard premises



CR 3 MAX | CR4 MAX

Dedicated
to large-scale facilities

PRICE UPON REQUEST

AIR CURTAINS





FM-3515 S-LY-MC D1500MM

Model: FM-3515S-L(/Y)
Diameter of Impeller: 120mm
Input Power: 330W
Air Velocity: 14.5 m³/h
Air Volume: 1700/1000 (m³/h)/CFM
Noise: <=48
Net Weight: 25Kg
Gross Weight: 27.5Kg
Unit Size: 1500x290x270mm
Mounting Height: 3-3.5m

PRICE €429



FM-3518 S-LY-MC D1800MM

Model: FM-3518S-L(/Y)
Diameter of Impeller: 120mm
Input Power: 410W
Air Velocity: 14.5 m³/h
Air Volume: 2040/1200 (m³/h)/CFM
Noise: <=51
Net Weight: 30Kg
Gross Weight: 33Kg
Unit Size: 1860x290x270mm
Mounting Height: 3-3.5m

PRICE €465



FM-1210N-2Y-MC D1000MM

Model: FM-1210N-2(Y)
Voltage/Frequency: 220V/50Hz
Diameter of Impeller: 120mm
Input Power: 180W
Air Velocity: 11 m³/h
Air Volume: 1350/794 (m³/h)/CFM
Noise: <=45
Net Weight: 13.8Kg
Gross Weight: 15.5Kg
Unit Size: 1000x220x195mm
Mounting Height: 2.3-3m

PRICE €250



FM-1215N-2Y-MC D1500MM

Model: FM-1215N-2(Y)
Voltage/Frequency: 220V/50Hz
Diameter of Impeller: 120mm
Input Power: 220W
Air Velocity: 11 m3/h
Air Volume: 2100/1235 (m3/h)/CFM
Noise: <=47
Net Weight: 19.9Kg
Gross Weight: 22.4Kg
Unit Size: 1500x220x195mm
Mounting Height: 2.3-3m


PRICE €324



FM-1220N-2Y-MC D2000MM

Model: FM-1220N-2(Y)
Voltage/Frequency: 220V/50Hz
Diameter of Impeller: 120mm
Input Power: 320W
Air Velocity: 11 m3/h
Air Volume: 2750/1618 (m3/h)/CFM
Noise: <=51
Net Weight: 24.5Kg
Gross Weight: 28Kg
Unit Size: 2000x220x195mm
Mounting Height: 2.3-3m

PRICE €453



GUARD ONE

Air curtain for small entrances

Easy installation
 Plug & Play
 Built-in motion sensor
 Silent work Effective barrier

Unit Size: 1100x281x155 mm
Voltage/Frequency: 230V / 50Hz
Version: Cold & Electric
Maximum Air Reach: ≤2.9 m

PRICE UPON REQUEST



OPTIONAL:

- WITHOUT HEAT EXCHANGER
- WITH HEAT EXCHANGER



GUARD AIR CURTAIN

Model: GUARD 100E ELECTRIC EXCHANGER

Unit Length: 1000mm

Effective range: 4m

Heat Output Range: 4-7kW

Max. Air Output: 2000m³/h

Supply Voltage: 230V 50Hz 1,4A

Accessories:

- Panel COMFORT - manual speed regulator
- Panel INTELLIGENT Wi-Fi with remote control using mobile app

PRICE UPON REQUEST



GUARD AIR CURTAIN

Model: GUARD 150E ELECTRIC EXCHANGER

Unit Length: 1500mm

Effective range: 4m

Heat Output Range: 6.5-11kW

Max. Air Output: 3600m³/h

Supply Voltage: 230V 50Hz 1,8A

Accessories:

- Panel COMFORT - manual speed regulator
- Panel INTELLIGENT Wi-Fi with remote control using mobile app

PRICE UPON REQUEST



GUARD AIR CURTAIN

Model: GUARD 2000E ELECTRIC EXCHANGER

Unit Length: 2000mm

Effective range: 4m

Heat Output Range: 8.5-14kW

Max. Air Output: 4800m³/h

Supply Voltage: 230V 50Hz 2,4A

Accessories:

- Panel COMFORT - manual speed regulator
- Panel INTELLIGENT Wi-Fi with remote control using mobile app

PRICE UPON REQUEST



info@arimec.eu



Arimec Trading Ltd



Arimec Trading Ltd



www.arimec.eu