









**Price Lists 03/04/2026**

| Photo   | ARIMEC Code    | Description  | Price (EUR)<br>+ VAT |
|---|----------------|--|----------------------|
|                         | 6111102CB5M10  | <p>CTO CARBON CARTRIDGE 10" BLOCK 5 MICRON (CHVCB2510ECO)</p> <p>Coconut shell carbon block filter 2.5"x10"<br/>Reduces content of chlorination byproducts and sediments.<br/>Improve color, taste and odour of water.</p> | 11,00                |
|  | 6111102CECTO10 | CERAMIC CARTRIDGE (CTO) 10"- 0.5 MICRON  | 27,56                |
|                       | 6111102CTO5M20 | ARIKLIMA CARBON BLOCK CTO 20" 5 MICRONS  | 22,05                |
|                       | 6111102GAC10   | GAC (GRANULATE) CARBON FILTER CARTRIDGE 10" (213600)   | 9,45                 |
|      | 6111102GAC20   | ARIKLIMA GRANULAR ACTIVATED CARBON GAC 20" 5 MICRONS   | 16,54                |
|               | 6111102PEPL10  | ARIKLIMA PE PLEATED FILTER CARTRIDGE 10" 25m   | 4,24                 |










**Price Lists 03/04/2026**


| Photo  | ARIMEC Code      | Description   | Price (EUR)<br>+ VAT |
|--|------------------|---|----------------------|
|    | 6111102PPPL1M10  | ARIKLIMA PP PLEATED FILTER CARTRIDGE 10" 1 MICRON       | 10,26                |
|    | 6111102SP1M10    | ARIKLIMA 10" PP SEDIMENT 1 MICRON (209100)              | 2,87                 |
|   | 6111102SP1M20    | ARIKLIMA 20" PP SEDIMENT 1 MICRON (209600)              | 5,51                 |
|  | 6111102SP25M10   | ARIKLIMA 10" PP SEDIMENT 25 MICRON                      | 2,15                 |
|  | 6111102SP25M10BB | ARIKLIMA 10" PP SEDIMENT 25 MICRON FOR BIG BLUE HOUSING | 7,70                 |
|  | 6111102SP5M10    | ARIKLIMA 10" PP SEDIMENT 5 MICRON (209200)              | 2,78                 |
|  | 6111102SP5M20    | ARIKLIMA 20" PP SEDIMENT 5 MICRON (209800)              | 5,51                 |







**Price Lists 03/04/2026**

| Photo  | ARIMEC Code     | Description                            | Price (EUR)<br>+ VAT |
|--|-----------------|--|----------------------|
|    | 6111102SW10M10  | WOUNDED FILTER 10" 10 MICRON           | 3,20                 |
|    | 6111102SW10M50  | WOUNDED FILTER 10" 50 MICRONS (207500) | 3,20                 |
|   | 6111102SW1M10   | WOUNDED FILTER 10" 1 MICRON            | 3,20                 |
|  | 6111102SW25M10  | WOUNDED FILTER 10" 25 MICRON           | 2,95                 |
|  | 6111102SW25M20  | WOUNDED FILTER 20" 25 MICRON           | 8,82                 |
|  | 6111102SW5M0510 | WOUNDED FILTER 5" 10 MICRON            | 2,76                 |
|  | 6111102SW5M10   | WOUNDED FILTER 10" 5 MICRON (207200)   | 3,20                 |






**Price Lists 03/04/2026**

| Photo  | ARIMEC Code      | Description  | Price (EUR)<br>+ VAT |
|--|------------------|--|----------------------|
|    | 6111102W20M10    | WOUNDED FILTER CARTRIDGE 10" 20 MICRON (207400)  | 4,10                 |
|    | 6111560MI010C    | CARTRIDGE SEDIMENT FA MINI-10 DIAM.50  | 3,86                 |
|   | 6111562CFA209400 | PP MELT BLOWN SEDIMENT FILTER 2.5"X10" 20 MICRONS (209400)   | 2,75                 |
|  | 6111565PH05      | POLYPHOSPHATE FILTER CARTRIDGE 5"  | 9,82                 |
|  | 6111565PH10      | POLYPHOSPHATE FILTER CARTRIDGE 10"<br>1 box = 25 pcs   | 22,05                |
|  | 6111692CHV3ECO   | ECOSOFT ADVANCED PACK OF 3 REPLACEMENT FILTERS FOR RO (PP5, GAC, CTO)<br><br>-PP5: reduces content of sand, silt, scale and other insoluble compounds exceeding the size of 5 microns<br>-GAC: reduces content of chlorine, chlorination byproducts, natural organic matter and petrochemicals<br>-CTO: reduces content of chlorination byproducts and sediments | 25,00                |

## Price Lists 03/04/2026




| Photo   | ARIMEC Code         | Description   | Price (EUR)<br>+ VAT |
|---|---------------------|---|----------------------|
|  <p>Advanced pack of 3 replacement filters for RO</p>         | 6111692CHV3ECOAGR   | <p>ECOSOFT ADVANCED PACK OF 3 REPLACEMENT FILTERS FOR RO (PP5, GAC, CTO AQUA GREEN)</p> <p>Improved set of cartridges Ecosoft 1-2-3 for reverse osmosis filters with water saving function.<br/>Includes: 1 PP5, 1 GAC, 1 CTO Aqua Green</p>  | 28,00                |
|  <p>Advanced set of 5 replacement filters for Standard RO</p> | 6111692CHV5MCSVECO  | <p>ECOSOFT STANDARD ADVANCED SET OF 5 REPLACEMENT FILTERS(PP5-GAC-CTO-50GPD-POSTMIN)</p>  | 50,00                |
|  <p>Pack of 4 replacement filters for ROBUSTPRO</p>         | 6111692CHVROBUSTPRO | <p>ECOSOFT PACK OF 4 REPLACEMENT FILTERS FOR RO (ROBUSTPRO)</p> <ul style="list-style-type: none"> <li>- Polypropylene cartridge for mechanical water purification from sand, silt, rust.</li> <li>- Carbon cartridge to remove chlorine and organic matter from water.</li> <li>- Pressed coconut charcoal cartridge to improve the organoleptic properties of water.</li> <li>- Special ROust PRO cartridge - saturates water with magnesium and calcium minerals, which enhance the taste and aroma of coffee</li> </ul> | 46,00                |
|  <p>Softening cartridge with resin</p>                      | 6111692CMV2510ECO   | <p>ECOSOFT REPLACEMENT FILTER FOR SOFTENING 2.5"X10"</p> <p>Inside the Ecosoft 2.5 "x10" water softener cartridge is a food-grade ion exchange resin.<br/>The cartridge reduces the content of hardness salts in water, which cause deposits on plumbing and scale on the surface of heating elements of household appliances. The cartridge body is made of pure European food-grade plastic.</p>  | 6,90                 |

## Price Lists 03/04/2026

| Photo   | ARIMEC Code          | Description   | Price (EUR)<br>+ VAT |
|---|----------------------|---|----------------------|
|   | 6111692CPN451005ECO  | ECOSOFT PP STRING WOUND SEDIMENT FILTER FOR BIG BLUE 4.5"X10" 5 MICRONS   | 8,70                 |
|  | 6111692CPN452020ECO  | ECOSOFT PP STRING WOUND SEDIMENT FILTER FOR BIG BLUE 4.5"X20" 20 MICRONS  | 25,56                |
|               | 6111692CPV251010ECO  | ECOSOFT CARTRIDGE 2.5"X10" PP MELT BLOWN SEDIMENT FILTER 10 MICRON<br><br>The replacement filter is a roll of fiber polypropylenemanufactured by using melt blowing process. The required degree of rigidity is achieved withoutusing a core by melting fibers into a rigid structure.  | 1,10                 |
|    | 6111692CPV2510205ECO | ECOSOFT DUAL GRADIENT PP SEDIMENT FILTER 2.5"X10" 20"/5 MICRONS<br><br>Dual gradient design allows creating two distinct filter zones. Larger particles(more than 20 micron) are trapped and filtered out in the first zone and thesmaller particles (5 to 20 micron) are trapped in the second zone. It allowsthe cartridge to operate at higher velocities and lower pressure drop. | 1,60                 |
|               | 6111692CPV25105BECO  | ECOSOFT PP MELT BLOWN FILTER WITH BACTERIO.EFFECT 2.5"X10" PP5-B<br><br>The special bacteriostatic mineral food grade ingredient decreases the developmentof slime by several times. Thanks to uniform concentration of the ingredient, growth ofbacteria is reduced on the whole surface of the replacement filter.  | 1,60                 |
|   | 6111692CPV452020ECO  | ECOSOFT PP SEDIMENT FILTER FOR BIG BLUE HOUSING 4.5"X20" 20 MICRONS   | 13,60                |










**Price Lists 03/04/2026**

| Photo   | ARIMEC Code    | Description   | Price (EUR)<br>+ VAT |
|---|----------------|---|----------------------|
|  <p>Advanced pack of 3 replacement filters for 3 stage filter</p> | 6111692CRV3ECO | <p>ECOSOFT ADVANCED PACK OF 3 REPLACEMENT FILTERS FOR 3STAGE FILTER</p> <p>The cartridges are only intended for post-treatment of cold tap water.</p>   | 25,70                |
|  <p>GAC (granulate) carbon filter cartridge 4.5"x10"</p>          | 6111692GAC4510 | <p>ECOSOFT GAC (GRANULATE) CARBON FILTER CARTRIDGE 4.5"X10" FOR BIG BLUE HOUSING</p> <p>Reduces content of chlorine, chlorination byproducts, naturalorganic matter and petrochemicals. Improve color, taste andodour of water.</p> | 14,25                |
|    | 6112102FH10A2  | ARIKLIMA PLASTIC CLEAR FILTER HOUSING 10"-3/4" (WHITE HEAD) P602  | 22,05                |
|    | 6112102FH10E   | ARIKLIMA PLASTIC BIG BLUE FILTER HOUSING SET 10"-1" WITH KEY (BLACK HEAD)   | 35,00                |
|    | 6112102FH10E1  | ARIKLIMA PLASTIC BLUE FILTER HOUSING SET 10"-3/4" WITH BRACKET AND KEY (BLACK HEAD) OP603   | 22,05                |
|    | 6112102FH10E2  | ARIKLIMA PLASTIC CLEAR FILTER HOUSING 10"-3/4" (BLUE HEAD)  | 22,05                |










**Price Lists 03/04/2026**

| Photo  | ARIMEC Code       | Description   | Price (EUR)<br>+ VAT |
|--|-------------------|---|----------------------|
|  | 6112102FH10E3     | ARIKLIMA PLASTIC BLUE FILTER HOUSING SET 10"-1"<br>WITH BRACKET AND KEY OP602 | 22,05                |
|          | 6112102P603X05X12 | ARIKLIMA FILTER HOUSING P603 H=5"-D1/2"<br>TRANSPARENT ***OFFER               | 7,72                 |
|         | 6112102P603X05X34 | ARIKLIMA FILTER HOUSING P603 H=5"-D3/4"<br>TRANSPARENT ***OFFER               | 7,72                 |
|                         | 6112102P603X10X1  | ARIKLIMA FILTER HOUSING P603 H=10"-D1"<br>TRANSPARENT                         | 12,00                |
|                    | 6112102P603X10X34 | ARIKLIMA FILTER HOUSING P603 H=10"-D3/4"<br>TRANSPARENT                       | 12,00                |
|                      | 6112560H3090411   | AMG FILTER HOUSING P603 CI 93/4"-3/4"<br>TRANSPARENT                          | 23,10                |
|                           | 6112560H3090441   | AMG FILTER HOUSING OP603 CI 93/4"-3/4" OPAQUE                                 | 24,26                |








**Price Lists 03/04/2026**

| Photo  | ARIMEC Code     | Description   | Price (EUR)<br>+ VAT |
|--|-----------------|---|----------------------|
|                                | 6112560H3090511 | AMG FILTER HOUSING P603 9 3/4"-1" TRANSPARENT         | 23,10                |
|                                | 6112560H3090541 | AMG FILTER HOUSING OP603 CI 9 3/4"-1" OPAQUE          | 24,26                |
|  | 6112560H3090611 | P603 93/4"-11/4"AMG FILTER HOUSING TRANSPARENT        | 38,59                |
|      | 6112560H3090641 | OP603 93/4"-11/4" AMG FILTER HOUSING OPAQUE           | 38,59                |
|      | 6112560H3090741 | OP603 93/4"-11/2" AMG FILTER HOUSING OPAQUE           | 44,10                |
|       | 6112560H3200511 | AMG FILTER P603 CI 20"-1" TRANSPARENT                 | 49,61                |
|            | 6112560H3200541 | AMG OP603 CI 20"-1" FILTER HOUSING OPAQUE<br>(199200) | 67,00                |







**Price Lists 03/04/2026**

| Photo  | ARIMEC Code      | Description  | Price (EUR)<br>+ VAT |
|--|------------------|--|----------------------|
|   | 6112560H5AP3131  | P333 FILTER HOUSING MINI 4" 3/4"-1/2"  | 11,03                |
|   | 6112560HCS       | AMG CRISTALSOFT S M/F 3/4" BLISTER   | 14,89                |
|                | 6112562CBB204403 | BIG BLUE FILTER HOUSING 9 3/4" 1" BLUE COLOR WITH BLACK CAP<br><br>2-Piece Big Blue Housing 9 3/4" 1"<br>With pressure relief cap<br>Cap made of black polypropylene.<br>Opaque cup made of blue polypropylene.<br>Max. working pressure: 8 bar.<br>Max. burst pressure: 35 bar.<br>Working temperature: 0 oC - 50 oC. | 42,00                |
|  | 6112562CBB204602 | BIG BLUE FILTER HOUSING 20" 1" BLUE COLOR WITH BLACK CAP (2-PIECE)<br><br>2-Piece Big Blue Housing 20" 1" Vers. 03   | 55,00                |
|                          | 6112565BDFH1001  | BLUE DOLPHIN FILTER HOUSING 10" - 1" WITH PLASTIC KEY<br><br>Specifications:<br><br>- Pieces 3: head, nut and glass<br>- Head: Polypropylene<br>- Flow rate with empty filter: 2300l/h<br>- Max. 45°C (113°F)<br>- Pressure Max. 8 bar (116 psi)<br>- Connection: Brass 1 "  | 22,05                |









**Price Lists 03/04/2026**

| Photo  | ARIMEC Code       | Description   | Price (EUR)<br>+ VAT |
|--|-------------------|---|----------------------|
|   | 6112565BDFH1034   | <p>BLUE DOLPHIN FILTER HOUSING 10" BR. 3/4" WITH PLASTIC KEY</p> <p>Specifications:</p> <ul style="list-style-type: none"> <li>- Pieces 3: head, nut and glass</li> <li>- Head: Polypropylene</li> <li>- Flow rate with empty filter: 2300l/h</li> <li>- Max. 45°C (113°F)</li> <li>- Pressure Max. 8 bar (116 psi)</li> <li>- Connection: Brass 3/4 "</li> </ul> | 22,05                |
|  <p>FILTER HOUSING 3P<br/>TRANSPARENT/ 9" 3/4"<br/>W/ BRACKET &amp; KEY</p> | 6112692FCPP3P0130 | <p>ECOSOFT FILTER HOUSING 3P TRANSPARENT/GREY 9" 3/4" WITH BRACKET &amp; KEY</p> <p>Max. Working Pressure: 8 bar<br/>Max. Working Temperature: From 5°C (41°F) to 50°C (122°F)<br/>Package: Empty housing without filter cartridge</p>  | 18,65                |
|  <p>In line water filter big<br/>blue 10" BB10 GREY</p>                    | 6112692FIBB10     | <p>ECOSOFT IN LINE WATER FILTER SET BIG BLUE 10" BB10 GREY 1" WITH BRACKET &amp; KEY</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Filter housing</li> <li>• Bracket</li> <li>• Service wrench</li> <li>• Screws</li> <li>• User manual</li> </ul>  | 42,00                |
|  <p>In line water filter big<br/>blue 20" BB20 GREY</p>                    | 6112692FIBB20     | <p>ECOSOFT IN LINE WATER FILTER SET BIG BLUE 20" BB20 GREY 1" WITH BRACKET &amp; KEY</p> <p>Includes:</p> <ul style="list-style-type: none"> <li>• Filter housing</li> <li>• Bracket</li> <li>• Service wrench</li> <li>• Screws</li> <li>• User manual</li> </ul>  | 53,40                |



**Price Lists 03/04/2026**








| Photo  | ARIMEC Code        | Description   | Price (EUR)<br>+ VAT |
|--|--------------------|---|----------------------|
|  <p>Housing filter, transparent 10" 3/4" w/sediment</p>                | 6112692FPV34ECOEXP | <p>ECOSOFT FILTER HOUSING TRANSPARENT 10" 3/4" WITH BRACKET, KEY &amp; SEDIMENT FILTER</p> <p>This filter has a water inlet and outlet of 3/4 inch. It reduces dirt, mud, particles and rust from your water. Includes wrench and a polypropelene cartridge 50 microns.</p> | 19,30                |
|  <p>Housing filter, high pressure, transparent 10" 3/4" w/sediment</p> | 6112692FPV34PECO   | <p>ECOSOFT FILTER HOUSING SET OPAQUE (WHITE) 10" 3/4" WITH BRACKET, KEY &amp; SEDIMENT FILTER</p> <p>Components:<br/>-Filter housing<br/>-5 micron PP melt blown sediment filter<br/>-Bracket<br/>-Service wrench<br/>-Screws</p>   | 19,30                |
|    | 6113561FT006       | ACQUA BREVETTI MINIBRAVO MANUAL CLEANING FILTER FT006 89 MICRON 3/4"F   | 109,15               |
|   | 6113561TT012       | ACQUA BREVETTI BRAVOTHERM 500 DIRT SEPARATOR WITH DOSING POINT FOR HEATING SYSTEMS TT012 1"F  | 189,63               |
|    | 6114102LX10XTY     | ARIKLIMA IN LINE SMALL POST CARBON CARTRIDGE 2" T33   | 6,70                 |
|   | 6114562F243300     | CARBON FILTER GAC FOR COLUMBIA DISPENSER 2.5" 12.5" (243000)  | 16,54                |



**Price Lists 03/04/2026**

| Photo   | ARIMEC Code      | Description  | Price (EUR)<br>+ VAT |
|---|------------------|--|----------------------|
|     | 6114562F291604   | IN-LINE GAC POST-FILTER IMPREGNATED WITH SILVER (GAC+AG)10"X2"                     | 18,74                |
|    | 6114562FFI243100 | DETOX FILTER 2.5" ONE SIDE CONNECTOR   | 48,00                |
|   | 6114562FFI243200 | SEDIMENT FILTER 5 MICRONS FOR TABLE-TOP & COLUMBIA ECO DISPENSERS (242900, 796330) | 14,33                |
|  | 6114562FFI291400 | IN LINE SEDIMENT PREFILTER PP 5M, 10" D2"  | 7,00                 |
|   | 6114562FFI291600 | IN LINE POST CARBON 10 D2" (GREEN FILTER)  | 11,03                |
|   | 6114562FFI291803 | GREEN FILTER CS-8 P.P 21/2" 5 MICRON   | 14,33                |
|  | 6114562FFI291902 | CS-8 CALGON CARBON CARTRIDGE<br>CS granular activated carbon filter                | 14,33                |

## Price Lists 03/04/2026






| Photo  | ARIMEC Code       | Description   | Price (EUR)<br>+ VAT |
|--|-------------------|---|----------------------|
|   | 6114562FFT545900  | PURICOM FT LINE 82-5 MICRON POLYPROPYLENE (2"X9.5") 545950                        | 17,64                |
|   | 6114562FFT546750  | PURICOM FT LINE 83 - GAC ACTIVATED CARBON FILTER CARTRIDGE<br>Contains NSF Carbon | 20,00                |
|                                        | 6114562FFT547502  | PURICOM FT LINE 88 (ACTIVATED CARBON + SILVER) 547551                             | 31,97                |
|                                       | 6114562FFT547504  | PURICOM FT LINE 91 (ULTRAFILTRATION MEMBRANE ) 547552                             | 55,13                |
|                                       | 6114562FFT547554  | PURICOM FT LINE 90 (CALGON CARBON + POLYPHOSPHATES)                               | 31,97                |
|                                        | 6114562FI291901   | POSTFILTER CS-TYPE CALGON GAC+AG CARTRIDGE  | 22,50                |
| <br>Coconut carbon in-line post filter | 6114692CHV2010ECO | ECOSOFT COCONUT CARBON IN-LINE POST FILTER<br>Size - 2 "x10"<br>Height - 270 mm   | 6,90                 |



**Price Lists 03/04/2026**





| Photo   | ARIMEC Code      | Description  | Price (EUR)<br>+ VAT |
|---|------------------|--|----------------------|
|  <p>Re-mineralizing<br/>in-line cartridge</p> | 6114692PD2010ECO | ECOSOFT RE-MINERALIZING IN-LINE CARTRIDGE<br><br>1 BOX = 24 PCS  | 12,00                |
|   | 6117562C289603   | CARTRIDGE REPLACEMENT FOR SHOWER FILTER<br><br>Includes: KDF and GAC activated carbon  | 12,86                |
|    | 6117562SF289508  | SHOWER FILTER VERS.03 1/2" F-M<br><br>Shower filter - Filtering load: KDF and GAC activated carbon.<br>Max. temperature: 80 oC.<br>Removes chlorine and other chlorinated substances.<br>Filtering load: KDF and GAC activated carbon.<br>Max. temperature: 80 oC. | 20,95                |
|   | 6119102KEY       | ARIKLIMA P600 (PLASTIC KEY / WRENCH FOR FILTER HOUSING) WHITE  | 3,31                 |
|   | 6119102KEYB      | ARIKLIMA P600 (PLASTIC KEY / WRENCH FOR FILTER HOUSING) BLACK  | 2,90                 |
|   | 6119560BR1021D   | AMG DOUBLE BRACKET P600 PLASTIC BLUE   | 6,62                 |

## Price Lists 03/04/2026

| Photo  | ARIMEC Code     | Description  | Price (EUR)<br>+ VAT |
|--|-----------------|--|----------------------|
|    | 6119565BDTB     | PLASTIC TOOL (KEY) FOR BLUE DOLPHIN FILTER HOUSING   | 4,15                 |
|    | 6119565BDWB     | WALL BRACKET FOR BLUE DOLPHIN FILTER HOUSING   | 3,15                 |
|   | 6221562FT795401 | PURICOM FILTERS FT LINE 2 (795401)   | 127,01               |
|  | 6221562FT795402 | PURICOM FT LINE 3 WATER PURIFIER 795402<br><br>Two Ft filters and an ultrafiltration membrane + assembly kit and sink faucet.<br>Box dimensions: 405 x 425 x 130 mm<br>Weight: 3300 gr.<br>Max. pressure: 58 PSI / 4 bar.<br>Max. flow: 0.25 GPM / 1 LPM.<br>Service life: 2600 GAL / 10000 L.<br>Max. temperature: 100 1F / 38 1C.<br>Min. temperature: 35 1F / 2 1C. | 203,96               |
|  | 6221562FT795453 | PURICOM FILTERS FT LINE VE<br><br>Water Purifier anti-scale Ft Line VE equipped with a cartridge 5 microns to pre-filter and a cartridge composed of activated carbon silver silico polyphosphates to purify and soften water.   | 86,00                |



**Price Lists 03/04/2026**




| Photo   | ARIMEC Code    | Description   | Price (EUR)<br>+ VAT |
|---|----------------|---|----------------------|
|  <p>Logico Aqqua<br/>6221</p>                           | 6221562L980156 | DRINKING WATER FILTER SET LOGICO AQUA   | 144,00               |
|  <p>Logico Aqua<br/>Filter<br/>Premium 12"<br/>6221</p> | 6221562L980203 | LOGICOAQUA REPLACEMENT FILTER PREMIUM 12  | 44,10                |
|  <p>EcoFast Filter Set<br/>6221</p>                    | 6221580DHIPF   | DOULTON HIP ECO FAST FILTER FOR DRINKING WATER<br><br>Housing material: Foodgrade polypropylene, free of PET and BPA<br>Filtration speed (liters/minute): 1,8<br>Filter replacement after (months): 6<br>Filter replacement after (liters/element): 2300<br>Reduces: Bacteria / Cysts / Algae /Chlorine /Heavy metals / Lead /Limescale /Sand / Sediment              | 140,99               |
|  <p>OCEANO 0K36<br/>6221</p>                          | 6221584OK36M00 | OCEANO FILTER CARTRIDGE BAYO M OK/ON36M00 PRECOAT 0.5µm + AG - DOMESTIC<br><br>OCEANO PCS uses 0.5 µm Pre-Coat technology, thanks to the high-surface membrane and powdered activated carbon, mechanically removes suspended substances greater than 0.5µm, chlorine and derivatives, organ-halogenated compounds, organic substances from water and metal compounds. | 63,00                |
|   |                |   |                      |

## Price Lists 03/04/2026




| Photo   | ARIMEC Code     | Description   | Price (EUR)<br>+ VAT |
|---|-----------------|---|----------------------|
|  <p>Oceano K70XL0</p>   | 6221584OK70XL0  | <p>OCEANO FILTER CARTRIDGE HYDRA DS BAYO XL RA-6X13 OK70XL0 FOR COFFEE MACHINES</p> <p>OCEANO OCEANO Hydra DS adopts a filtration technology that combines special buffered carboxylic resins able to reduce hardness carbonate without changing the pH level and silver-plated activated carbon in granular or sintered form. Composed of: Buffered carboxylic resins + 0.5µm carbon block</p> | 194,25               |
|  <p>FILTER CARTRIDGE HYDRA DS BAYO XL 6X13 FOR COFFEE MACHINES</p> | 6221584OK75XL0U | <p>OCEANO FILTER CARTRIDGE HYDRA DS BAYO XL 6X13 FOR COFFEE MACHINES</p> <p>OCEANO OCEANO Hydra DS adopts a filtration technology that combines special buffered carboxylic resins able to reduce hardness carbonate without changing the pH level and silver-plated activated carbon in granular or sintered form. Composed of: Buffered carboxylic resins + 0.5µm carbon block</p>            | 228,00               |
|  <p>DRINKIT</p>   | 6221584OKKIT36S | <p>OCEANO DRINKIT OK36S - PRECOAT AG 0.5µm - WITH INSTALLATION KIT</p> <p>Drinking water treatment kit includes:</p> <ul style="list-style-type: none"> <li>- Small cartridge</li> <li>- Head with bracket and ring nut</li> <li>- Digiflow 8000T-L counter</li> <li>- Swan neck faucet</li> <li>- 3/8 "water connection</li> <li>- 8mm pipes and fittings</li> </ul>                           | 198,45               |
|  <p>Oceano OKT1500</p>  | 6221584OKT1500  | <p>FILTER HEAD OCEANO 3/8" WITH COLLAR/ BRACKET/ SCREWS</p>   | 42,00                |







**Price Lists 03/04/2026**

| Photo   | ARIMEC Code        | Description  | Price (EUR)<br>+ VAT |
|---|--------------------|--|----------------------|
|   | 6221584OKTZ0010    | BLU PLASTIC BRACKET FOR OCEANO   | 2,73                 |
|   | 6221692CRVKINT     | ECOSOFT CARTRIDGES FOR WATER FILTER<br>JUG/PITCHER SLIM BLUE   | 6,30                 |
| <p>Standard 3-stage filter<br/>for drinking water</p>  | 6221692FMV3ECOSTD  | <p>ECOSOFT STANDARD 3-STAGE FILTER FOR DRINKING WATER</p> <p>Filtration:</p> <ul style="list-style-type: none"> <li>- 5 micron PP Melt blown sediment filter - removes sand, silt, rust &amp; other particulates</li> <li>- Filter with Ecomix advanced softening material - reduces hardness, chlorine &amp; toxic metals</li> <li>- CTO coconut shell carbon filter - reduces chlorination byproducts &amp; sediments</li> </ul>   | 73,00                |
| <p>WATER FILTERJUG/<br/>PITCHER SLIM BLUE</p>         | 6221692FMVSLIMBINT | <p>ECOSOFT WATER FILTER JUG/PITCHER SLIM BLUE</p> <p>Slim water filter jug is equipped with a replaceable cartridge that ensures that the water tastes perfect. The replacement cartridge contains the unique ECOMIX® filter media. The cartridge reduces:</p> <ul style="list-style-type: none"> <li>- Chlorine - improves the taste and smell of the water</li> <li>- Hardness - kettle and coffee maker limescale-free</li> <li>- Heavy metals - water is safe and healthy</li> </ul> <p>Volume: 7 glasses (1.7 L) of pure water<br/>Dimensions: 25 x 24 x 10 cm</p> <p>Package Contents: Water filter jug, Replacement cartridge</p> | 16,80                |
|   |                    |  |                      |





## Price Lists 03/04/2026

| Photo  | ARIMEC Code        | Description  | Price (EUR)<br>+ VAT |
|--|--------------------|--|----------------------|
|  <p>PACIFICA RO 800GPD<br/>6222</p>  | 6222562ROPACIFICA  | <p>PURICOM REVERSE OSMOSIS SYSTEM PACIFICA 800 GPD DIRECT FLOW</p> <p>Technical data:<br/>           - Dimensions: 387 x 150 x 445 mm<br/>           - Weight: 12,45 kg.<br/>           - Maximum Flow: 2 lpm<br/>           - Inlet TDS (max.) : 1500 ppm<br/>           - Temperature (max. – min.): 40 1C – 5 1C<br/>           - Membrane: 800 GPD<br/>           - Pressure (max. – min.): 4 bar – 2 bar (400kPa – 100kPa)<br/>           - Faucet: 1 way Faucet<br/>           - Pump: Booster<br/>           - Power Supply: 24 Vdc / 120 W<br/>           - External adapter: 185 240 VAC 50/60 Hz</p> | 750,00               |
|  <p>PROLINE<br/>6222</p>           | 6222562ROPR4576408 | <p>RO PROLINE PLUS WITH PUMP AND UV LAMP</p> <p>6 Stages Ro system including<br/>           GAC, Carbon block,<br/>           Pumb, 50GPD Greenfilter membrane<br/>           Post remineralize cartidge, Faucet with ceramic valve<br/>           Steel tank with plastic coating</p>   | 498,00               |
|  <p>Sintra Compact RO<br/>6311</p> | 6222562SINTRACSUV  | <p>PURICOM REVERSE OSMOSIS SYSTEM SINTRA UNDERSINK-WITH UV LAMP</p> <p>6 stages RO system including<br/>           5m sediment cartridge, 2x carbon GAC cartridges<br/>           Filmtec 75 GPD membrane, Post remineralize cartridge<br/>           Leaking sensor, Water quality detector<br/>           Filter change timing, Installation kit<br/>           Metal free ceramic faucet, Pressure tank</p>   | 640,00               |
|  | 6222692CHVCBDFRO   | ECOSOFT CARBON BLOCK POSTFILTER FOR RO CROSS90   | 52,00                |
|  | 6222692CPVFRO      | ECOSOFT CF PREFILTER FOR RO CROSS9   | 76,00                |
|  |                    |  |                      |

**Price Lists 03/04/2026**








| Photo   | ARIMEC Code          | Description   | Price (EUR)<br>+ VAT |
|---|----------------------|---|----------------------|
|  <p><b>CROSS90 RO<br/>Direct Flow Filter</b></p>    | 6222692CROSS90       | <p>ECOSOFT DIRECT FLOW REVERSE OSMOSIS SYSTEM CROSS90</p> <ul style="list-style-type: none"> <li>- Direct flow RO - 1,5 liters/min</li> <li>- Flow capacity 90 l/hr</li> <li>- Recovery 55-65 %</li> <li>- Inlet water pressure 2-5 bar</li> <li>- Smart indication - filter lifetime and water quality reminder</li> <li>- Smart flushing - built-in automatic flushing problem</li> </ul>                 | 695,00               |
|  <p><b>Direct Flow RO<br/>ROBust Mini 1000</b></p> | 6222692ROBUST1000STD | <p>ECOSOFT ROBUST MINI 1000 STD REVERSE OSMOSIS FILTER</p> <p>Includes 3 x Membranes 100GPD</p>   | 462,00               |
|  <p><b>Direct Flow RO<br/>ROBust 1500</b></p>     | 6222692ROBUST1500ECO | <p>ECOSOFT ROBUST 1500 REVERSE OSMOSIS FILTER</p> <p>Provides high flow rate of pure water in a compact size, suitable for cafes, hotels, offices, schools etc.</p> <ul style="list-style-type: none"> <li>- Flow capacity: 90-100 L/h</li> <li>- Water consumption: 140-165 L/h</li> <li>- Waste water: 50-65 L/h</li> <li>- Inlet water pressure: 1-5 bar</li> <li>- Power consumption: 0.12kW</li> </ul> | 880,00               |
|  <p><b>Direct Flow RO<br/>ROBust 3000</b></p>     | 6222692ROBUST3000MAX | <p>ECOSOFT DIRECT FLOW ROBUST 3000MAX</p> <p>Specifications</p> <p>Flow capacity — 150–1601 L/h<br/>Inlet pressure — 2–52 bar<br/>Water consumption — 250–300 L/h<br/>Waste water — 100–140 L/h</p>   | 1570,00              |
|   |                      |   |                      |

**Price Lists 03/04/2026**

| Photo  | ARIMEC Code        | Description   | Price (EUR)<br>+ VAT |
|--|--------------------|---|----------------------|
| <p><b>Direct Flow RO<br/>RObust Pro (75lt/hr)</b></p>  <p>For cafés, restaurants<br/>with specialty coffee etc</p> | 6222692ROBUSTPROB  | <p>ECOSOFT ROBUST COFFEE PRO REVERSE OSMOSIS FILTER 1500L/day</p> <p>Ecsoft ROBUST COFFEE is designed with compliance with world "coffee" standards and allows you to get water that reveals the unique taste of coffee.</p> <ul style="list-style-type: none"> <li>- Flow capacity: 70-75 L/h</li> <li>- Made to run 20 hours per day</li> <li>- Water consumption: 140-150 L/h</li> <li>- Waste water: 70-75 L/h</li> <li>- Inlet water pressure: 2-5 bar</li> <li>- Power consumption: 0.08kW</li> </ul> | 880,00               |
| <p><b>Standard RO<br/>+mineralize, no pump</b></p>    | 6222692ROMO550ME   | <p>ECOSOFT STANDARD REVERSE OSMOSIS FILTER WITH MINERALIZATION W/O PUMP</p> <p>5 stages of water purification including mineralization<br/>7.9 L/2.1 gal of drinking water per hour<br/>Ecsoft membrane element<br/>Tasty water due to mineralization filter<br/>Filter housing made of food grade plastic manufactured in the EU</p>   | 157,00               |
| <p><b>Standard RO<br/>+mineralize +pump</b></p>    | 6222692ROMO550MPE  | <p>ECOSOFT STANDARD REVERSE OSMOSIS FILTER WITH MINERALIZATION AND PUMP</p> <p>Designed for low pressure water supply systems<br/>5 stages of water purification including mineralization<br/>7.9 L/2.1 gal of drinking water per hour</p>  | 242,00               |
| <p><b>STANDARD PRO RO<br/>ON METAL RACK<br/>W/ MINERALIZATION + PUMP</b></p>                                     | 6222692ROMO550MPSE | <p>ECOSOFT STANDARD PRO RO ON METAL RACK WITH MINERALIZATION AND PUMP</p> <p>Designed for low pressure water supply systems<br/>The filter is steady and simple in maintenance due to the metal rack<br/>5 stages of water purification including mineralization<br/>7.9 L/2.1 gal of drinking water per hour</p>   | 260,00               |









**Price Lists 03/04/2026**




| Photo  | ARIMEC Code     | Description  | Price (EUR)<br>+ VAT |
|--|-----------------|--|----------------------|
| <p>Absolute 5 stages reverse osmosis system with pump</p>  | 6222692ROMO575  | ECOSOFT ABSOLUTE 5 STAGES REVERSE OSMOSIS SYSTEM WITH PUMP                 | 360,00               |
| <p>Absolute RO with mineralization, no pump</p>            | 6222692ROMO675  | ECOSOFT ABSOLUTE REVERSE OSMOSIS FILTER WITH MINERALIZATION - WITHOUT PUMP | 250,00               |
|   | 62231102MR800GT | COMMERCIAL RO SYSTEM ARIKLIMA MASTER 800GPD WITH 11G TANK                  | 1096,99              |
| <p>Runbott Insulated Bottle 600ml</p>                    | 6224562B970295  | RUNBOTT INSULATED BOTTLE 600ML LIGHT PINK                                  | 28,00                |
| <p>Runbott 600ml</p>                                     | 6224562B970306  | RUNBOTT INSULATED BOTTLE 600ML BLACK                                       | 28,00                |
|    | 6224562B9710245 | RUNBOTT INSULATED BOTTLE 600ML BLUE  | 28,00                |
| <p>Runbott Insulated Mug 400ml</p>                       | 6224562B972091  | RUNBOTT INSULATED MUG 400ML BLACK  | 25,17                |







**Price Lists 03/04/2026**

| Photo   | ARIMEC Code    | Description   | Price (EUR)<br>+ VAT |
|---|----------------|---|----------------------|
|  <p>Runbott Insulated Bottle 1L</p>                                     | 6224562B972261 | RUNBOTT INSULATED BOTTLE 1L CREAM   | 36,00                |
|  <p>Runbott Insulated Mug 400ml - DUSTY PINK</p>                        | 6224562B972412 | RUNBOTT INSULATED MUG 400ML DUSTY PINK  | 25,17                |
|  <p>RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML ANTHRACITE</p>    | 6224562B972552 | RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML ANTHRACITE<br><br>it keeps hot for 12 hours and cold for 24 hours.   | 28,00                |
|  <p>RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML MARINE</p>       | 6224562B972715 | RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML MARINE<br><br>it keeps hot for 12 hours and cold for 24 hours.       | 28,00                |
|  <p>RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML COTTON CANDY</p> | 6224562B972730 | RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML COTTON CANDY<br><br>it keeps hot for 12 hours and cold for 24 hours. | 28,00                |
|  <p>RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML BLACK</p>        | 6224562B972782 | RUNBOTT WATER BOTTLE MII INSULATED TUMBLER 600ML BLACK<br><br>it keeps hot for 12 hours and cold for 24 hours.        | 28,00                |

## Price Lists 03/04/2026


| Photo   | ARIMEC Code          | Description   | Price (EUR)<br>+ VAT |
|---|----------------------|---|----------------------|
|  <p>RUNBOTT CAFE CUP MII<br/>INSULATED TUMBLER 350ML<br/>NAVY BLUE</p>     | 6224562B973101       | RUNBOTT CAFE CUP MII INSULATED TUMBLER 350ML<br>NAVY BLUE<br><br>it keeps hot for 12 hours and cold for 24 hours.   | 28,00                |
|  <p>RUNBOTT CAFE CUP MII<br/>INSULATED TUMBLER 350ML<br/>CREAM</p>         | 6224562B973103       | RUNBOTT CAFE CUP MII INSULATED TUMBLER 350ML<br>CREAM<br><br>it keeps hot for 12 hours and cold for 24 hours.       | 28,00                |
|  <p>RUNBOTT CAFE CUP MII<br/>INSULATED TUMBLER 350ML<br/>BLACK</p>       | 6224562B973104       | RUNBOTT CAFE CUP MII INSULATED TUMBLER 350ML<br>BLACK<br><br>it keeps hot for 12 hours and cold for 24 hours.       | 28,00                |
|  <p>RUNBOTT CAFE CUP MII<br/>INSULATED TUMBLER 350ML<br/>POWDER PINK</p> | 6224562B973105       | RUNBOTT CAFE CUP MII INSULATED TUMBLER 350ML<br>POWDER PINK<br><br>it keeps hot for 12 hours and cold for 24 hours. | 28,00                |
|  <p>Ecosoft Membrane<br/>for RO: 100GPD</p>                               | 6225692CSV1812100ECO | ECOSOFT MEMBRANE ELEMENT 100GPD   | 56,00                |
|   |                      |   |                      |

## Price Lists 03/04/2026

| Photo   | ARIMEC Code        | Description  | Price (EUR)<br>+ VAT |
|---|--------------------|--|----------------------|
|  <p>RAINBOW 6311</p>  | 6311102R102        | <p>COUNTERTOP DISPENSER RAINBOW WITH FILTER &amp; UV LAMP SILVER (02)</p> <p>Dimension (Width x Depth x Height): 30 x 37 x 34 cm<br/>           Heating Capability : 15L/H<br/>           Cooling Capability : 5 L/H<br/>           Inlet Water Pressure:<br/>               Minimum : 0.1MPa<br/>               Maximum: 0.6MPa</p> | 589,00               |
|  <p>Fountric R0<br/>Water Dispenser</p> <p>FOUNTRIC 6311</p>                                 | 6311190DISQRD21BRO | <p>FOUNTRIC COUNTERTOP WATER DISPENSER QRD21-01E RO BLACK</p> <p>HOT &amp; COLD WATER<br/>           BLACK COLOR + UV LIGHT<br/>           WITH FILTRATION SYSTEM (CARBON + RO + PAC)</p>  | 390,00               |
|  <p>FOUNTRIC COUNTERTOP<br/>WATER DISPENSER QRD21-01E<br/>UF BLACK</p> <p>FOUNTRIC 6311</p> | 6311190DISQRD21WUF | <p>FOUNTRIC COUNTERTOP WATER DISPENSER QRD21-01E UF BLACK</p> <p>HOT &amp; COLD WATER<br/>           WHITE COLOR + UC LIGHT<br/>           WITH FILTRATION SYSTEM (CARBON + UF + PAC)</p>  | 378,00               |
|  <p>SODA</p> <p>Puricom 6311</p>  | 6311562DICSHSODA   | <p>COLUMBIA COUNTERTOP WATER DISPENSER CSH SODA HOME BLACK FOR SPARKLING WATER</p> <p>Water Production:<br/>           Cold: 8LPH<br/>           Room: 10LPH<br/>           Sparkling: 10 LPH</p>  | 1130,00              |
|   |                    |  |                      |



**Price Lists 03/04/2026**





| Photo  | ARIMEC Code      | Description   | Price (EUR)<br>+ VAT |
|--|------------------|---|----------------------|
|  <p>FC 530</p> <p>Puricom 6311</p>           | 6311562DIFC530UF | <p>COLUMBIA COUNTERTOP WATER DISPENSER FC-530 UF</p> <p>Model: FC 530 UF (Ultra Filtration). System water treatment:</p> <p>1 Filter 5 µm 2.5 x 11.5<br/>1 GAC filter 2.5 x 11.5<br/>1 UF cartridge 2.5 x 11.5<br/>1 Postfilter 2.5 x 11.5</p>  | 452,00               |
|  <p>COLUMBIA FC550</p> <p>Puricom 6311</p>  | 6311562DIFC550UF | <p>COLUMBIA COUNTERTOP WATER DISPENSER FC-550 UF</p> <p>Model: FC 550 UF (Ultra Filtration)</p> <p>Installation: Counter top<br/>Cooling capacity: 4 l/h<br/>Heating capacity: 5 l/h<br/>Cold water tank capacity : 0,9l<br/>Temperature: Cold, hot and room water<br/>Dimensions (Height x Width x Base): 407 x 514 x 180 mm</p> | 680,00               |
|  <p>FC 630</p> <p>Puricom 6311</p>         | 6311562DIFC630   | <p>COUNTERTOP WATER DISPENSER COLUMBIA WITH RO SYSTEM FC-630 ROPS</p> <p>Temperatures: Cold - Room - Hot<br/>Working system: Reverse Osmosis<br/>Cold water tank capacity: 3,5l<br/>Cooling capacity: 5l/h<br/>Hot water tank capacity: 1,5l<br/>Heating capacity: 5l/h</p>   | 589,00               |
|  <p>COLUMBIA FC750</p> <p>Puricom 6311</p> | 6311562DIFC750R  | <p>COLUMBIA WATER DISPENSER WITH RO SYSTEM FC-750ROS/750S COUNTERTOP</p>  | 930,00               |

## Price Lists 03/04/2026

| Photo   | ARIMEC Code        | Description   | Price (EUR)<br>+ VAT |
|---|--------------------|---|----------------------|
|  <p>WATER DISPENSER AQA<br/>DRINK 20 WD</p>                                 | 6311692AQA20WD     | <p>ECOSOFT WATER DISPENSER AQA DRINK 20 WD<br/>BLACK - W/O FILTERS</p> <p>Ideal for home, office and workplace</p> <ul style="list-style-type: none"> <li>• Ambient, cold and sparkling water</li> <li>• Capacity: 20 l/h</li> <li>• Countertop or freestanding unit</li> </ul> | 845,00               |
|  <p>Fountric Water<br/>Dispenser</p>                                       | 6312190DISQRB21BUF | <p>FOUNTRIC FLOOR STANDING WATER DISPENSER<br/>QRB21-01 UF BLACK</p> <p>HOT, NORMAL &amp; COLD WATER, BLACK COLOR + UV<br/>LIGHT + DIGITAL SCREEN<br/>WITH FILTRATION SYSTEM (CARBON + UF + PAC)<br/>SMALL FILTERS, BOTTOM LOADING</p>  | 299,00               |
|  <p>COLUMBIA FC700</p>  | 6312562DIFC700UF   | <p>COLUMBIA WATER DISPENSER WITH<br/>ULTRAFILTRATION FC-700UF (FC750) FLOOR<br/>STANDING</p>  | 680,00               |
|  <p>FLOOR STANDING WATER<br/>DISPENSER ULTRAFILTRATION<br/>FC-725-ROP</p> | 6312562DIFC725ROP  | <p>COLUMBIA FLOOR STANDING WATER DISPENSER<br/>FC-725-ROP WITH UV LED</p> <ul style="list-style-type: none"> <li>1 Filter 5 µm 2,5 x 11,5</li> <li>2 Filter BLOCK 2,5 x 11,5</li> <li>1 RO Membrane 1812 x 75 GPD</li> <li>1 Carbon postfilter 2,5 x 11,5</li> </ul>            | 620,00               |
|  <p>COLUMBIA FC700</p>  | 6312562DIFC750ROP  | <p>COLUMBIA WATER DISPENSER WITH RO &amp; PUMP<br/>FC-700RO / FC-750-ROP FLOOR STANDING</p>   | 899,00               |



**Price Lists 03/04/2026**




| Photo   | ARIMEC Code      | Description  | Price (EUR)<br>+ VAT |
|---|------------------|--|----------------------|
|  <p>FLOOR STANDING DISPENSER F728 - W/O FILTERS</p> | 6312692F728DISP  | <p>ECOSOFT FLOOR STANDING DISPENSER F728 - W/O FILTERS</p> <ul style="list-style-type: none"> <li>- Temperature: Cold - Hot</li> <li>- Flow rate up to - 3 L/m</li> <li>- Cooling capacity: 5L/h (suitable for up to 15 people)</li> <li>- Power supply- 220 V, 50-60 Hz</li> <li>- Inlet water connection - 1/4 Inches</li> <li>- Power Consumption   cold   hot - 695 W   120 W   575 W</li> </ul> | 420,00               |
|  <p>UNDERCOUNTER WATER COOLER HF45 IN 45L/HR</p>   | 6313562HF45IN    | <p>UNDERCOUNTER WATER COOLER HF45 IN 45L/HR</p> <p>Production: 45 l/hr<br/>Continuous production: 6-12 l</p>   | 1005,00              |
|  <p>Icehome R80 water Cooler</p>                  | 6313562ICE728809 | <p>WATER COOLING SYSTEM ICEHOME 2/3.0</p> <p>Icehome 2.0 water cooler (Replaces R80)<br/>Cold and room temperature water with all the comfort<br/>Connection: 1/4"<br/>Dimensions: 410x290x210mm<br/>Weight: 12kg<br/>Power: 120W</p>  | 405,90               |
|  <p>Domestic Ice Maker</p>                        | 6314562ICE850145 | <p>DOMESTIC ICE MAKER MP0017</p> <p>Domestic ice cube maker machine</p> <ul style="list-style-type: none"> <li>- Tank Capacity: 1.8 liters</li> <li>- Ice Storage: 0.6 kgs</li> <li>- Duration of the cycle for ice production: 8 min</li> <li>- Max capacity of ice production: 12kg</li> </ul>   | 198,00               |
|   |                  |  |                      |



**Price Lists 03/04/2026**






| Photo  | ARIMEC Code   | Description   | Price (EUR)<br>+ VAT |
|--|---------------|---|----------------------|
|  <p>NERO 13<br/>6411</p>   | 6411102NERO13 | <p>ARIKLIMA COMPACT WATER SOFTENER NERO 13</p> <p>Min/Max inlet pressure: 2/6 bar<br/>Voltage: 220/12v dc<br/>Material: High Quality ABS<br/>Type: Volumetric<br/>Installation:Indoor (Cabinet Type)<br/>Max working temperature: 35 degrees C<br/>Min working temperature: 4 degrees C<br/>Resin (lt): 12,5<br/>Working Flow (m3/hr): 1,2<br/>Dimensions (WxDxH) mm: 330x470x660</p> | 538,02               |
|  <p>NERO 18<br/>6411</p>  | 6411102NERO18 | <p>ARIKLIMA COMPACT WATER SOFTENER NERO 18</p> <p>Min/Max inlet pressure: 2/6 bar<br/>Voltage: 220/12v dc<br/>Material: High Quality ABS<br/>Type: Volumetric<br/>Installation:Indoor (Cabinet Type)<br/>Max working temperature: 35 degrees C<br/>Min working temperature: 4 degrees C<br/>Resin (lt): 18<br/>Working Flow (m3/hr): 1,8<br/>Dimensions (WxDxH) mm: 330x470x900</p>   | 665,00               |
|  <p>NERO 30<br/>6411</p> | 6411102NERO30 | <p>ARIKLIMA COMPACT WATER SOFTENER NERO 30</p> <p>Min/Max inlet pressure: 2/6 bar<br/>Voltage: 220/12v dc<br/>Material: High Quality ABS<br/>Type: Volumetric<br/>Installation:Indoor (Cabinet Type)<br/>Max working temperature: 35 degrees C<br/>Min working temperature: 4 degrees C<br/>Resin (lt): 25<br/>Working Flow (m3/hr): 2,4<br/>Dimensions (WxDxH) mm: 330x470x1100</p>  | 715,00               |

## Price Lists 03/04/2026

| Photo  | ARIMEC Code     | Description   | Price (EUR)<br>+ VAT |
|--|-----------------|---|----------------------|
|  <p>RIDER<br/>6411</p>                           | 6411562RIDER25  | <p>WATER SOFTENER RIDER 25L RESIN 1"</p> <p>Flow rate:<br/>- Operating — 1 m<sup>3</sup>/h<br/>- Maximum — 1.5 m<sup>3</sup>/h</p> <p>Resin volume: 25 liters<br/>Pressure rating: 8 bar<br/>Dimensions ( Height x Width x Base): 1100 x 530 x 360</p>  | 790,00               |
|  <p>Softener: Ecosoft<br/>Azure 250 (25lt)</p>  | 6411692AZURE250 | <p>ECOSOFT ANTHRACITE AZURE 250 25LT</p> <p>Flow rate:<br/>- Operating — 1,5 m<sup>3</sup>/h<br/>- Maximum — 2.0 m<sup>3</sup>/h</p> <p>Usage of salt per regeneration: 2.5-4.0kg<br/>Usage of water per regeneration: 0.25 m<sup>3</sup><br/>Duration of regeneration : 80-110 minutes<br/>Inlet pressure: 2-6 bar<br/>Dimensions(Width x Depth x Height in cm): 35x52x113</p>   | 990,00               |
|  <p>Softener: Ecosoft<br/>Azure 370 (37lt)</p> | 6411692AZURE370 | <p>ECOSOFT ANTHRACITE AZURE 370 37LT</p> <p>Flow rate:<br/>- Operating — 2.5 m<sup>3</sup>/h<br/>- Maximum — 2.9 m<sup>3</sup>/h</p> <p>Usage of salt per regeneration: 3.7-6.0 kg<br/>Usage of water per regeneration: 0.37 m<sup>3</sup><br/>Duration per regeneration: 80-110 minutes<br/>Inlet pressure : 2-6 bar<br/>Dimensions(Width x Depth x Height in cm): 35x52x113</p> | 1110,00              |
|  |                 |   |                      |









**Price Lists 03/04/2026**

| Photo   | ARIMEC Code     | Description  | Price (EUR)<br>+ VAT |
|---|-----------------|--|----------------------|
| <p>Softener: Ecosoft<br/>Pink 150 (15lt)</p>   | 6411692PINK150  | <p>ECOSOFT PINK 150 COMPACT SOFTENER 15LT</p> <p>Operating flow rate: 1.3/1.5 m3/h<br/>Usage of salt per regeneration: 1.5kg<br/>Usage of water per regeneration: 0.1 m3<br/>Duration of regeneration: 80-110 minutes<br/>Inlet pressure: 2-6 bar<br/>Dimensions ( Width x Depth x Height ) : 270 x 430 x 539 mm</p> | 755,00               |
| <p>Softener: Ecosoft<br/>Pink 200 (20lt)</p>  | 6411692PINK200  | <p>ECOSOFT PINK 200 COMPACT SOFTENER 20LT</p> <p>Operating Flow rate — 1.8 m³/h<br/>Quantity of media — 20 L<br/>Dimensions ( Width x Depth x Height): 270 x 430 x 741 mm</p>  | 820,00               |
| <p>Softener<br/>Bi-block 10x54 (50lt)</p>    | 6411692RF1252CI | <p>ECOSOFT COMMERCIAL SOFTENER ASSY WITH RESIN 50L 1"</p> <p>INCLUDES: LT Strong acid cation exchange resin CODE: PC002<br/>INCLUDES: Ecosoft softener connection kit 1-1 CODE SCK1</p>  | 1190,00              |
| <p>EVOLUTION 400</p>                         | 6411764EVO400   | <p>ECOWATER WATER SOFTENER EVOLUTION 400 BOOST</p>   | 2083,73              |
| <p>EVOLUTION 500</p>                         | 6411764EVO500   | <p>ECOWATER WATER SOFTENER EVOLUTION 500 POWER</p>   | 2216,03              |



**Price Lists 03/04/2026**

| Photo  | ARIMEC Code     | Description  | Price (EUR)<br>+ VAT |
|--|-----------------|--|----------------------|
|  <p>NORTH STAR NSC14<br/>6411</p>                    | 6411764NSC14    | WATER SOFTENER NORTH STAR NSC14ED  | 1195,00              |
|    | 6451561PM011    | ACQUA BREVETTI MINIDUE ANTI-SCALING &<br>ANTI-CORROSIVE DOSING SYSTEM PM011 3/4" M | 219,40               |
|   | 6461562VDF25    | SALT BAG PURICOM 25KG VDF TABLETS<br>1 PALLET = 40 BAGS                            | 16,75                |
|  <p>Salt for softener<br/>Ecosoft tablets 25kg</p> | 6461692KECO     | SALT BAG ECOSOFT 25KG TABLETS<br>1 PALLET = 49 BAGS                                | 16,75                |
|    | 6461888REG25    | SALT BAG 25KG REGENIT / HYDROSOFT TABLETS<br>1 PALLET = 49 BAGS                    | 16,75                |
|    | 6511102TODE30PH | ARIKLIMA UV LAMP SET 30W WITH PHILIPS LAMP<br>UV-TODE30PH                          | 214,99               |
|  |                 |  |                      |









**Price Lists 03/04/2026**

| Photo   | ARIMEC Code     | Description  | Price (EUR)<br>+ VAT |
|---|-----------------|--|----------------------|
|                                 | 6511102TODE55PH | ARIKLIMA UV LAMP SET 55W WITH PHILIPS LAMP<br>UV-TODE55PH<br><br>- Flow rate: 45 liters/min (2.7 m3/hr)<br>- Inlet/ Outlet port size: 3/4" male  | 253,58               |
|  | 6511562S243600  | UV LAMP SET 1/4" 6W, 0.12m3/hr-UV1011  | 89,25                |
|                | 6511562S243900  | UV LAMP COMPLETE SET 39W 3/4" 2.8M3/HR   | 530,00               |
|                               | 6511562S244000  | PURICOM UV LAMP SET 1/4 14W, 0.36m3/hr   | 192,94               |
|                               | 6511562S244300  | PURICOM UV LAMP SET 1/2 32W, 1.4m3/hr  | 352,80               |
|         | 6511562S820478  | UV LAMP LED KINGLIGHT 3/8" 10W 2-4 LPM<br><br>Pressure: 0,4MPa<br>Connections: 3/8"<br>Working Flow Filtered Water: 2L/min<br>Working Flow Osmosis Water: 4L/min<br>Sterilization Rate: >/99.9%<br>Led-Uv Service Life: >2000h<br>UV Power: 10W<br>Grade Water-Proof: IPX7 | 195,00               |





**Price Lists 03/04/2026**

| Photo  | ARIMEC Code     | Description   | Price (EUR)<br>+ VAT |
|--|-----------------|---|----------------------|
|    | 6521102TODUVP6W | ARIKLIMA REPLACEMENT PHILIPS UV LAMP 6 WATT (2 PINS ON EACH SIDE)<br><br>With 2 pins on each side   | 19,85                |
|    | 6521562L244500  | UV LAMP SPARE PART ONLY 24W L450MM  | 70,00                |
|   | 6521562L244600  | UV LAMP ONLY GP610 6W OD:18MM L212MM (2 PINS EACH SIDE)<br><br>UV lamp spare part (with 2 pins on each side)<br>Power 6 Watt<br>Current 150 mA<br>Diameter 15.5 mm<br>Length 212 mm | 18,52                |
|  | 6521562L244602  | UV LAMP 6W WITH 4 PINS ON ONE SIDE  | 20,95                |
|  | 6521562L244800  | UV LAMP ONLY 14W OD:14MM L287MM   | 45,00                |
|  | 6521562L244900  | UV LAMP ONLY 32W L645MM - 1201  | 78,00                |



**Price Lists 03/04/2026**

| Photo   | ARIMEC Code     | Description                                   | Price (EUR)<br>+ VAT |
|---|-----------------|---|----------------------|
|  | 6521562S243609  | UV LAMP SPARE PART FOR TEFLON 6W 1/4"         | 25,00                |
|   | 6541562DP748200 | DOSAGE PUMP TPG603 8 BAR 5L/H PVDF SENTINEL 2 | 420,42               |